

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

1-27 (cancelled)

28.(new) A process of preparing an aqueous crystalline biogenic silica comprising the steps of:

- a) incinerating a silica bearing organic source at a temperature from about 700°C up to about 1200°C for a time period for the silica to be substantially in a crystalline form and allowing the incinerated silica organic source to cool;
- b) adding the incinerated and cooled silica bearing organic source to an alkaline solution that has either been preheated to a temperature up to about 65°C or to be heated with the added organic source to a temperature up to about 65°C, the alkaline solution being contained in a vessel and having a pH from 12 up to 14;
- c) applying heat so that the added organic source and the alkaline solution in the vessel are at a temperature between 100°C and up to about 300°C for 1 to 4 hours, thereby forming an aqueous crystalline biogenic silica with a pH from 12 to 14 and undissolved impurities derived from the added organic source; and
- d) extracting the aqueous crystalline biogenic silica from the vessel.

29.(new) The process according to claim 28 wherein the silica bearing organic source is selected from one or a combination of

BEST AVAILABLE COPY

two or more of group comprising rice hulls, wheat hulls, and herbs with a high level of silica.

30.(new) The process according to claim 29, wherein the herbs include urtica dioica (stinging nettle) and Equisetum (horsetail).

31.(new) The process according to claim 28 wherein the added silica bearing organic source constitutes 2 to 22 by weight, and the alkaline solution constitute 3 to 8% by weight of an hydroxide or hydroxides and 70 to 95% by weight of water.

32.(new) The process according to claim 31 wherein the hydroxides are selected from hydroxides of sodium, lithium, potassium, rubidium, cesium and francium.

33.(new) The process according to claim 31 wherein the added silica bearing organic source is in a proportion of about 320g of incinerated rice hulls to the alkaline solution of about 160g of an hydroxide or hydroxides and 3 litre of water.

34.(new) The process according to claim 28 wherein the vessel is pressurised so that the heat is applied at a relatively high pressure therein.

35.(new) The process according to claim 34 wherein the vessel has an open top which is covered by a lockable lid with a pressure release valve arranged for releasing excessive pressure within the vessel.

36.(new) A method of remediating media containing inorganic and/or organic pollutants comprising contacting the media with a matrix generating agent having an aqueous crystalline biogenic silica obtained according to the process as claimed in claim 28, the matrix generating agent being arranged to generate within the

BEST AVAILABLE COPY

media a silicate matrix having a plurality of active reactive sites for bonding to the pollutants.

37.(new) The method according to claim 36 wherein the media is mixed with the matrix generating agent, and heating the resultant mixture at a temperature that is sufficiently high for a sufficient period to produce kerogenic compounds within said mixture.

38.(new) The method according to claim 37 wherein the kerogenic compounds having kerogen-like or kerogenic structures of large organic geo-polymers of no particular order whereby the kerogenic compounds have an irregular structure, and comprise both aliphatic and aromatic constituents and are capable of trapping within them smaller organic and inorganic molecules.

39.(new) The method according to claim 38 wherein the kerogenic compounds are formed by polycondensation reactions occurring at the reactive sites within the matrix, and the kerogens then become chemically bonded to the matrix and are generally insoluble in both water and most organic solvents.

40.(new) The method according to claim 36 wherein the organic pollutants include P.C.B.s, polyaromatic hydrocarbons, pesticides, herbicides, insecticides, and related compounds, halogenated solvents, furans, volatile hydrocarbons including benzene, toluene, xylene and other common organic contaminants.

41.(new) The method according to claim 36 wherein the inorganic pollutants include any of heavy metals comprising lead, cadmium, mercury, chromium, vanadium, and the like, and/or any of radioactive elements comprising uranium, strontium, thorium and other actinide, and/or any of substances containing radio active elements comprising radioactive iodine.

BEST AVAILABLE COPY

- 42.(new) The method according to claim 36 wherein the media including any of soils, sediments, sludges, water, air and other similar materials.
- 43.(new) A construction material or fabric treated with the aqueous crystalline biogenic silica prepared by the process as claimed in claim 28 for rendering the treated construction material or fabric with a substantially good flame retardation property and/or termite deterrent property.
- 44.(new) A semi-conductor wafer manufactured with the aqueous crystalline biogenic silica prepared by the process as claimed in claim 28.
- 45.(new) A fertiliser for organic plants comprising the aqueous crystalline biogenic silica prepared by the process as claimed in claim 28.
- 46.(new) A process of removing a substantial heavy metal and/or reducing a substantial radioactive level from an animal comprising ingesting the aqueous crystalline biogenic silica prepared by the process as claimed claim 28.
- 47.(new) A method of treating clay soil comprising adding to a mass of clay soil an aqueous aqueous crystalline biogenic silica prepared by the process as claimed in claim 28 in a proportion of between 0.2% to 2% weight to weight of the silica to the clay soil.

BEST AVAILABLE COPY